elero

elero

elero drives for visual and sun protection

have been produced in Germany to the highest quality standards for more than 50 years now. Millions of satisfied customers worldwide place their trust in the technology of the manufacturer from southern Germany. The drives run for many years quietly and reliably. Your specialist dealer will be pleased to advise you on the available choice and is on hand to conduct professional installation on new construction projects and to assist with modernisation projects.

COM hand-held transmitters

Comfortable operation of visual and sun protection

This brochure was presented to you by:

C elero.subject to change.



ONE DESIGN, FIVE MODELS, COUNTLESS FUNCTIONS

elero

Enhance the comfort of your home


Be it roller shutters, blinds, awnings or screens: thanks to automation with elero products you can operate and control your visual or sun protection systems without expending any energy. Simply at the touch of a button on the radio-controlled hand-held transmitter.

The new generation of COM hand-held transmitters is convincing thanks to the clear, modern design and ergonomic user-friendly structure.

Bidirectional radio technology

All the COM hand-held transmitters utilise a bidirectional ratio system. As a result signals are received and processed reliably. The drives securely forward these signals thanks to a true routing function.

The COM family: the right hand-held transmitter for every application



held transmitter with slider

held transmitter with manual/automatic operation switch

transmitter with manual/ automatic operation switch

6-channel hand-held

transmitter with slider and manual/automatic operation switch

Further information about controls and drives from elero is to be found under www.elero.com

elero

Single-channel



With the single-channel hand-held transmitter you can operate one blind individually or several blinds jointly as one group.

6-channel




With the 6-channel hand-held transmitter as many as 6 units may be operated individually, in groups or centrally.



Manual/automatic operation switch

In combination with automatic devices, roller shutters and sun protection can be moved in line with time and/or sun protection commands. This function may be activated and deactivated on the hand-held transmitter.



Slider function ---

Using the slider it is possible to position the angle of slats on your blinds precisely. Moreover, patio lighting can be dimmed continuously or the patio heater adjusted if these are fitted with suitable elero radio receivers.